

To: Prospective Applicants for a Sanitary Wastewater Permit Discharging into a Natural Wetland for Wetland Assimilation

Attached is a **Sanitary Wastewater Discharge Permit Application, WPS-WAP**. To be considered complete, <u>every item</u> on the form must be addressed and the last page signed by an authorized company agent. If an item does not apply, please enter "NA" (for not applicable) to show that the question was considered.

Two copies (one original and one copy) of your <u>completed</u> application, <u>each</u> with a marked U.S.G.S. Quadrangle map or equivalent attached, should be submitted to:

Mailing Address:

Department of Environmental Quality
Office of Environmental Services
Post Office Box 4313
Baton Rouge, LA 70821-4313
Attention: Water Permits Division

Physical Address: (if hand delivered)
Department of Environmental Quality
Office of Environmental Services
602 N Fifth Street
Baton Rouge, LA 70802
Attention: Water Permits Division

Please be advised that completion of this application may not fulfill all state, federal, or local requirements for facilities of this size and type.

According to L. R. S. 48:385, any discharge to a state highway ditch, cross ditch, or right-of-way shall require approval from:

Louisiana DOTD Office of Highways Post Office Box 94245 Baton Rouge, LA 70804-9245 (225) 379-1927 AND

Louisiana DHH
Office of Public Health
Center for Environmental Health Services
PO Box 4489
Baton Rouge, LA 70821-4489
(225) 342-7395

In addition, the plans and specifications for sanitary treatment plants must be approved by the Louisiana Department of Health and Hospitals, Office of Public Health at the address above.

A copy of the LPDES regulations may be obtained from the Department's website at http://www.deq.louisiana.gov/portal/tabid/1674/Default.aspx or by contacting the Office of Environmental Assessment, Regulations Development Section, Post Office Box 4314, Baton Rouge, Louisiana 70821-4314, phone (225) 219-3550.

For questions regarding this application, please contact the Water Permits Division at (225) 219-3181. For help regarding completion of this application, please contact DEQ, Small Business Assistance at 1-800-259-2890.

Date		Please check:	Initial Permit
Agency Interest No.	Al		Permit Modification
LWDPS Permit No.	WP		Permit Renewal
NPDES/LPDES Permit	LA		Existing Facility

STATE OF LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Environmental Services Post Office Box 4313 Baton Rouge, Louisiana 70821-4313 TELEPHONE NUMBER: (225) 219-3181

LPDES PERMIT APPLICATION TO DISCHARGE TREATED SANITARY WASTEWATER INTO A NATURAL WETLAND FOR WETLAND ASSIMILATION

(Attach additional pages if needed.)

SECTION I - FACILITY INFORMATION

A. 1.	Permit is to be issued to the following: (must have operational control over the facility operation - see LAC 33:IX.2501.B and LAC 33:IX.2503.A and B). Legal Name of Applicant/Owner (Company, Partnership, Corporation, etc.)
	Facility Name
	Mailing Address
	Zip Code:
2.	Please check status: Federal
	City Parish
	Front Gate Coordinates:
	Latitudedegminsec. Longitudedegminsec.
	Method of Coordinate Determination:
	(Quad Map, Previous Permit, website, GPS)
	Is the facility located on Indian Lands? Yes No

SECTION I - FACILITY INFORMATION (cont.)

3.	Name & Title of Contact Person at Facility		
	Phone	Fax	e-mail
	Facility Federal Tax I.D.	_	
		nine-dig	it number
	SIC (Standard Industrial Class SIC codes can be obtained from the http://www.osha.gov/oshstats/sicser.	United States Dep	
В.	Name and address of respo	nsible represe	ntative who completed the application:
	Name & Title		
	Company		
	Phone		
C.	Please check (✓) the appropr	iate blank.	
	The applicant is:		
1.	Owner of the facility		
2.	Operator of the facility		
3.	Owner & Operator of the facili	ty	
	Provide the name and telepho	one number of th	ne Operator of the facility, <u>if other than the owner</u> :
	Name:		Telephone:
D.	If this application is for a peneeded):	rmit revision, p	please describe the revision (Add extra sheets if

SECTION I - FACILITY INFORMATION (cont.)

If the permit revision is due to a facility addition, upgrade or construction of a new facility, E. please provide a schedule of compliance: **ACTIVITY DATE** Begin process of obtaining funds and development of specifications Begin construction End construction Achieve final effluent limitations and monitoring requirements If this facility discharges to another Municipal Facility, please provide the following F. information: Address: 3. Average Daily Flow: MGD **G.** Type of Facility (sewage district, residential subdivision, office building, etc.): The sources of raw wastewater are: Н. 1. List Municipalities or areas served including populations:

	Existing:		Planned:				
	Anticipated	d date for planned	residences to enter system:	Month:		Year: _	
3.	Number of	Mobile Homes:					
	Existing		Planned:			_	
	Anticipated	d date for planned	residences to enter system:	Month:		Year _	
4.	Number of	Apartments:					
	Existing:	1 Bedroom	2 Bedroom		3 Bedroom		
	Planned:	1 Bedroom	2 Bedroom		3 Bedroom		
	Anticipated	d date for planned	apartments to enter system:	Month		Year _	
5.	Other (List	:):					

2.

Number of Residences (Houses/Homes):

SECTION I - FACILITY INFORMATION (cont.)

6.	If the facility will serve an incorporated area (city, town, village, etc.), indicate the population:
	Existing:Planned:
	Anticipated date for expanded population to enter system: Month: Year:
I.	Indirect Discharges
1.	Are any indirect discharges introduced into the treatment facility? Yes No
2.	Are any indirect sewage sludge (domestic septage, solids removed from primary, secondary, or advanced wastewater treatment, grease trap waste mixed with sewage sludge, or portable toilet waste) introduced into the facility? Yes No
	If yes to I.1 or I.2, please complete ATTACHMENT 1, INDUSTRIAL/INDIRECT WASTE DISCHARGE INTO SANITARY SYSTEM for each indirect discharger into the treatment system.
J.	Provide the anticipated date by which a permit is needed: Month: Year:
K.	Provide the name of the most widely circulated newspaper for the area serviced by this wastewater treatment facility. Include location of publication (name of city, town, village where published), and the frequency of distribution.
L.	Is or was this a Grant or Loan Project? Yes No If so, please provide the following information:
1	Type of Grant or Loan:
٠.	(CDBG, Revolving Loan, FMHA, etc.)
2.	Project No. (if applicable):
3.	Status of Project (include date or best estimate):
4.	Grant or Loan application submitted:
6.	Grant or Loan awarded:
7.	Construction started:
8.	Project completed or anticipated completion:
9.	Description of work funded by Grant or Loan:

SECTION II - TREATMENT INFORMATION

A.	Provide a description of the treatment facility including collection system, complete description of the treatment method, type of disinfection method, and handling of the effluent (use additional sheets if necessary):
В.	Provide the type of flow measurement/recording device used at the facility (ex. V-notch weir, Totalizer, Totalizing Meter, Continuous Recorder, Combination Totalizing Meter/Continuous Recorder, etc.):
C.	Provide an estimation (or measurement for an existing source) of average raw wastewater flow (MGD) and load (lb. BOD ₅ /day). Show the method of calculation (use additional sheets if necessary):
	Provide the "Treatment Design Capacity" for the facility: (in Million Gallons per Day, MGD):
	Existing: Planned:
	Provide the "Estimated or Expected Treated Wastewater Flow: (in Million Gallons per Day, MGD):
	Existing: Planned:
	Plant design BOD removal (%): Plant design N removal (%):
	Plant design P removal (%): Plant design SS removal (%):
	Plant Last Major Renovation (year): (year):
D. 1.	Sewage Sludge and Biosolids. Identify the sewage sludge or biosolids use or disposal practice utilized by the facility (i.e. landfill, land application, or incineration).
2.	Please give the facility's Sewage Sludge/Biosolids Permit Number As per LAC 33:IX.7301.D, if you do not have a sewage sludge/biosolids use or disposal permit, you must apply for one.
E.	For Publicly Owned Treatment Works (POTWs):
1.	Is the facility operating under an approved pretreatment program? Yes No
2.	If so, provide the date of approval:
3.	If not, is the facility required to develop a pretreatment program? Yes No

Form_7251_r01 10/07/2009

SECTION III - DISCHARGE INFORMATION

	ampling point					. 50 .00	aleu beli	,vcci	i tiic
	it and prior to d								
Latitude:		min	sec.	Longitude:		_deg	mir	າ	S
Method of Co	oordinate Deter	mination:		(Quad Map,	Dravia	a Daweit .	wahaita Ol	201	
D	6.0			•		s Permit, \	website, Gi	-5)	
Description c	of the exact loca	ation of the tre	atment s	ampling poin	it(s):				
	escription of th	ne layout of t	he distril	oution syste	em into	o the as	similatio	n or	•
restoration a	area:								
Provide the	location of t	the treatmer	t facility	and disch	narge	point(s)	on the	apı	propri
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the (ex. Outfall (Use addition description, in the section of the sec	a U.S.G.S. Qu Otherwise, the ne map, extendits intake and di ities; each weller surface wate applicant in the geographic coo 201, Outfall 002 nal sheets if ne- nclude if dischar	adrangle Mais information in the discharge structure where fluids erbodies, and erbodies of the 2, etc.), and cessary.) For arge is continuous information in the discrepance of the dis	p or equence on must beyond to ctures; ear from the from	vivalent and person of the property ach of its hat acility are inwater wells ge point(s). Latitude and dividual outfallermittent.	d attace d before bounda zardou jected listed i Please Longiall, prov	ch to the ore a positive a positive series of as waste undergrain publication in publication of the control of	ermit ca the source treatment ound; and records te each di outfall de	cation because the central control con	on. Se issu he factorage be we otherwarge parge paration
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the geometric (Use addition description, in Are the geometric description).	a U.S.G.S. Qu Otherwise, the map, extendits intake and dities; each well applicant in the geographic cool 201, Outfall 002 and sheets if nemclude if discharaphic coordinate an estimated	adrangle Mais information in the discharge structure where fluids erbodies, and erbodies, and erbodies of the 2, etc.), and cessary.) For arge is continuates available time of when	p or equence on must beyond the ctures; eafrom the finding e dischargive the properties or interest of the geographic the geographic or each incomplete the geographic the geographic or equations or interest or submitted the geographic or equations or interest or each incomplete the geographic or equations or interest or each incomplete the geographic or equations or interest or each interest or equations or interest or each incomplete the geographic or equations or equ	pivalent and person ach of its hat acility are inwater wells ge point(s). Latitude and its invidual outfatermittent.	d attace d before bounda zardou jected listed i Please d Longi all, prov me? inates	ch to the ore a period aries of a waste undergrain publication of the will be a period to the ore the	the source treatment cand; and records te each di outfall de vailable.	cation because the central control con	on. Se issume the factorage we otherwarge parge
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the Query (ex. Outfall Query (Use addition description, in Are the geogy of not, provide Please note: Geografic Control of the Section of the Se	a U.S.G.S. Qu Otherwise, the ne map, extendits intake and dities; each weller surface water applicant in the geographic cool 201, Outfall 002 nal sheets if neached include if discharaphic coordinates an estimated geographic Coordinates an estimated	adrangle Mais information ling one mile discharge structure where fluids erbodies, and erbodies, and erbodies of the 2, etc.), and cessary.) For arge is continuates available time of when linates must be	p or equence on must beyond the ctures; each incompose or information of the geograph of the g	vivalent and be submitted the property ach of its has acility are inwater wells ge point(s). Latitude and lividual outfallermittent. It at this time aphic coord before a permittent and the submitted and the submitted at the submitted at the submitted and before a permitted and the submitted at the submitted at the submitted and the submitted and the submitted at the submitted a	d attace d before bounds zardou jected listed i Please d Longiall, province?	ch to the ore a period of the control of the contro	the source treatment cand; and records te each di outfall de vailable.	cation because the control of the co	on. Se issu he factorage potherw arge pration
section of a Section X. Include on the and each of disposal facilists springs, other known to the Provide the control (Use addition description, in Are the geogon of the solution of the Please note: Of the solution of the	a U.S.G.S. Qu Otherwise, the map, extendits intake and dities; each weller surface water applicant in the geographic cool on all sheets if neurolude if discharaphic coordinates an estimated the following for the following for the state of	adrangle Mais information ling one mile discharge structure where fluids erbodies, and erbodies, and erbodies of the 2, etc.), and cessary.) For arge is continuates available time of when linates must be	p or equence on must beyond the ctures; each incompose or information of the geograph of the g	vivalent and be submitted the property ach of its has acility are inwater wells ge point(s). Latitude and lividual outfallermittent. It at this time aphic coord before a permittent and the submitted and the submitted at the submitted at the submitted and before a permitted and the submitted at the submitted at the submitted and the submitted and the submitted at the submitted a	d attace d before bounds zardou jected listed i Please d Longiall, province?	ch to the ore a period of the control of the contro	the source treatment cand; and records te each di outfall de vailable.	cation because the control of the co	on. Se issu he factorage potherw arge pration
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the Q (ex. Outfall Q (Use addition description, in Are the geogonal of the provide Please note: Gotton outfall Number 1988 Section X.	a U.S.G.S. Qu Otherwise, the map, extendits intake and dities; each well applicant in the geographic cool of the following for the followi	adrangle Ma is information ling one mile discharge strut where fluids erbodies, and e map area. rdinates of th 2, etc.), and cessary.) Four arge is continuates available time of when linates must be or each outfal	p or equence on must beyond the ctures; each incompose or information of the geograph of the g	vivalent and be submitted the property ach of its has acility are inwater wells ge point(s). Latitude and lividual outfallermittent. It at this time aphic coord before a permittent and the submitted and the submitted at the submitted at the submitted and before a permitted and the submitted at the submitted at the submitted and the submitted and the submitted at the submitted a	d attace d before bounds zardou jected listed i Please d Longiall, province?	ch to the ore a period of the control of the contro	the source treatment cand; and records te each di outfall de vailable.	cation because the control of the co	on. Se issu he factorage potherw arge pration
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the Quex. Outfall Ques addition description, in Are the geognation of the Please note: Outfall Number Designation and the Section Number 1 of the Section of the Section Number 1 of the Section	a U.S.G.S. Qu Otherwise, the map, extendits intake and dities; each weller surface water applicant in the geographic cool 201, Outfall 002 and sheets if neurolude if discharaphic coordinates an estimated the following forms: and Description	adrangle Ma is information ling one mile discharge strut where fluids erbodies, and e map area. rdinates of th 2, etc.), and cessary.) Four arge is continuates available time of when linates must be or each outfal	p or equence on must beyond the ctures; each incomplete of the line of the control of the geograph of the geog	vivalent and be submitted the property ach of its has acility are inwater wells ge point(s). Latitude and lividual outfallermittent. It at this time aphic coord before a permittent and the submitted and the submitted at the submitted at the submitted and before a permitted and the submitted at the submitted at the submitted and the submitted and the submitted at the submitted a	d attace d before bounds zardou jected listed i Please I Longiall, province? inates voit can be bies for	ch to the ore a period of the content of the conten	the source treatment cand; and records te each di outfall de vailable.	cation because the control of the co	on. Se issu he factorage potherw arge pration
section of a Section X. Include on the and each of disposal facilisprings, other known to the Provide the Quex. Outfall Ques addition description, in Are the geognation of the Please note: Outfall Number Designation and the Section Number 1 of the Section of the Section Number 1 of the Section	a U.S.G.S. Qu Otherwise, the map, extendits intake and dities; each weller surface water applicant in the geographic coolog, Outfall 002 and sheets if neaching the coordinate an estimated the following for the following for Intermittent:	adrangle Ma is information ling one mile discharge strut where fluids erbodies, and e map area. rdinates of th 2, etc.), and cessary.) Four arge is continuates available time of when linates must be or each outfal	p or equence on must beyond the drinking e dischargive the reach increased increased increased increased increased increased (make acceptance)	vivalent and be submitted the property ach of its hat acility are inwater wells ge point(s). Latitude and dividual outfallermittent. Ital at this time aphic coord before a permitted and copyrights and the submitted according to the submi	d attace d before bounds zardou jected listed i Please d Longiall, province?	ch to the ore a period aries of a substantial content of the ore indicated it and the ore indica	the source treatment cand; and the sound; and the each of each display outfall development.	cation becen the control of the cont	on. Se issu he factorage potherw arge pration

SECTION III – DISCHARGE INFORMATION (cont.)

escription:						
mittent:						
_deg	_min	sec.	Longitude:	deg.	min	sec.
ate Determina	ation:					
			(Quad Map,	Previous Permit,	website, GPS)	
-						
mittent:						
_deg	_min	sec.	Longitude:	deg.	min	sec.
ate Determina	ation:		(Ound Man	Draviava Dameit	wahaita CDC)	
			(Quau iviap,	rievious reiliil,	website, GFS)	
ecription:						
•						
					min	200
			Longitude.	ueg		sec.
ile Determina	ation		(Quad Map,	Previous Permit,	website, GPS)	
escription:						
mittent:						
deg.	min.	sec.	Longitude:	deg.	min.	sec.
te Determina	ation:					
			(Quad Map,	Previous Permit,	website, GPS)	
escription:						
mittent:						
_deg	min	sec.	Longitude:	deg.	min	sec.
ate Determina	ation:		(0)			
			(Quad Map,	Previous Permit,	website, GPS)	
-						
		sec.	Longitude:	deg.	min	sec.
ate Determina	ation:		(Quad Map.	Previous Permit	website, GPS)	
	mittent:deg escription:	mittent: degminste Determination: escription: mittent:degminste Determination:	mittent: degminsec. ate Determination: escription:	mittent:	mittent:	mittent:degminsec. Longitude:degmintte Determination:

SECTION III – DISCHARGE INFORMATION (cont.)

D.	Provide a description of how the treatment facili Waters:	ty effluent does or would reach State
	Directly into	(wetland/marsh/swamp, etc.);
	thence into	(first named water body);
	thence into	(second named water body);
	SECTION IV - ASSIMILAT	TION INFORMATION
A.	Provide a description of the type (classification)	of the natural wetland:
В.	Provide a description of the type of vegetatio assimilation area:	n found within the proposed natural wetland
C.	Provide the number of acres of natural wetlands	to be used for assimilation:
	Acres of wetlands	
D.	Provide a list of the uses that exist within the as secondary contact recreation, fish and wildlife propagation, etc.):	
E.	If this application is for a "restoration" project, proje	Phase I – Site Preparation Plan, Phase II – ement of the Vegetation Restoration. If this site

SECTION IV – ASSIMILATION INFORMATION (Cont.)

available.		the applicati	on subn	dicating the laittal, provide w	a copy of	all agreem	ents f
	_						
Three main sa plots in a con plots in the ass outlet location hydrological gra	ntrol/referen similation are in the assi	ce area (similea must be loca	ar in cha ated near	racteristics to the outfalls, m	the assimilat iidway from th	ion area). T ne outfalls, a	he ma
assimilation are represent an Control/referent used in the mossible, these	undisturbe ace sites pro onitoring pro	d habitat, w vide information ogram and sho sites should	rith chai on about ow the ar	acteristics de the natural ra nual variation	esired of the nge of value in these par	ne restorations s for the para fameters. W	on si ramete /henev
restoration take within the syste similar human i	em. For exa	ample, it is bes	comparate t if the s	ility and to allo	ow evaluation	n of natural v	ariatio
restoration take within the syste similar human i Provide latitude selected contro	em. For exainfluence; and longituol/reference	ample, it is bes ad similar funct de coordinates	comparab t if the si ions.	ility and to allo tes have simila	ow evaluatior ar soils, plant	n of natural v and animal	ariatio specie
restoration take within the syste similar human in Provide latitude selected control Main Sampling	em. For exainfluence; and longituolistics of the color of	ample, it is bes ad similar funct de coordinates a area:	comparate if the sit if the sit if the sit ions.	ility and to allotes have similar	ow evaluatior ar soils, plant all main sam	n of natural v and animal	ariatio specie
restoration take within the syste similar human in Provide latitude selected control Main Sampling	em. For exa influence; an e and longitu ol/reference Plot ID:	ample, it is bes ad similar funct de coordinates area: min	comparate if the sit if the sit if the sit ions.	ility and to allotes have similar	ow evaluatior ar soils, plant all main sam	of natural vand animal	ariatio specie
restoration take within the syste similar human in Provide latitude selected contro Main Sampling Latitude:	em. For exa influence; an e and longitu ol/reference Plot ID:	ample, it is bes ad similar funct de coordinates area: min	comparate if the sit if the sit if the sit ions.	ility and to allotes have similar ap delineating Longitude: _	ow evaluatior ar soils, plant all main sam	of natural vacant and animal pling plot(s) i	ariatio specie
restoration take within the syste similar human in Provide latitude selected control Main Sampling Latitude: Method of Cool	em. For exainfluence; and longituol/reference Plot ID:deg rdinate Dete	ample, it is bested similar functed de coordinates area: min rmination:	comparate if the sit if the sit ions. s and a m sec.	ility and to allotes have similar ap delineating Longitude: _	ow evaluation ar soils, plant all main samdeg	of natural vacant and animal pling plot(s) i	ariatio specie
restoration take within the syste similar human in Provide latitude selected control Main Sampling Latitude:	em. For exa influence; an e and longitu ol/reference Plot ID:deg. rdinate Dete	ample, it is bested similar funct de coordinates area:min	comparate if the sit if the sit ions. s and a msec.	ility and to allotes have similar ap delineating Longitude:	evious Permit, w	n of natural v and animal pling plot(s) i min. 	ariatio specie in the se
restoration take within the syste similar human is Provide latitude selected control Main Sampling Latitude: Method of Cool Main Sampling	em. For exa influence; an e and longitu ol/reference Plot ID:deg. Plot ID:degdegdeg.	ample, it is besid similar funct de coordinates area: minmin	comparate if the sit if the sit ions. s and a msec.	ility and to allottes have similar ap delineating Longitude: (Quad Map, Pre	evious Permit, w	n of natural v and animal pling plot(s) imin ebsite, GPS)min	ariatio specie in the
restoration take within the syste similar human in Provide latitude selected control Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Method of Cool	em. For exa influence; an e and longitu ol/reference Plot ID:deg. Plot ID:deg rdinate Deter deg	ample, it is bested similar funct de coordinates area: minmination:minmin	comparate if the sit if the sit ions. s and a msec.	ility and to allottes have similar ap delineating Longitude: (Quad Map, Pre	evious Permit, w	n of natural variation of natural variation of natural variation of the control o	ariatio specie in the
restoration take within the syste similar human is Provide latitude selected control Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Main Sampling	em. For exa influence; an e and longitu ol/reference Plot ID:deg rdinate Dete Plot ID:deg rdinate Dete	ample, it is besid similar functioned de coordinates area: min min min min min	comparate of the sit of the sit ons. s and a magnetic sec.	ility and to allottes have similar ap delineating Longitude:	evious Permit, w	n of natural v and animal pling plot(s) imin ebsite, GPS)min	ariatio specie
restoration take within the syste similar human in Provide latitude selected control Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Main Sampling Latitude: Method of Cool Method of Cool	em. For exa influence; an e and longitu ol/reference Plot ID:deg rdinate Dete Plot ID:deg rdinate Dete Plot ID:deg rdinate Dete	ample, it is besid similar functions de coordinates area: min min min min min min min	comparate of the sit of the sit ons. s and a magnetic sec.	ility and to allottes have similar ap delineating Longitude:	evious Permit, w	n of natural v and animal pling plot(s) imin ebsite, GPS)min	ariation species and the second species and the second species are second species and the second species are second species and the second species are second species

SECTION IV – ASSIMILATION INFORMATION (Cont.)

assimilation Main Sampli	ı area (i.e. near, ng Plot ID:	midway, far)	:				
Latitude:	deg	min	sec.	Longitude: _	deg	min	se
Method of C	oordinate Deterr	nination:					
				(Quad Map, Pre	evious Permit, w	ebsite, GPS)	
	e direction of the						
	proposed load	,	nutrient	s to the natura	al wetlands.		
	proposed load	,	nutrient	s to the natura	al wetlands.		

SECTION V – EFFLUENT CHARACTERISTICS

See LABORATORY ACCREDITATION on Page 18

(1) Provide an estimation (or lab analysis for an existing discharge) of the following effluent characteristics (wherever applicable): Complete one table for each outfall.

		EXISTING								PROPOSED						
Pollutant	In	fluent			luent			In	fluent	Effluent						
	A۷	Long Term Maximum Average Weekly Value Average Value		Maximum Long Term Monthly Average Average Value Value		Long Term Average Value		Maximum Weekly Average Value		Maximum Monthly Average Value		Long Term Average Value				
	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l	Mass lbs/day	Concentration mg/l
BOD ₅ or CBOD ₅ (circle the correct parameter)																
TSS																
NH ₃ -N																
Oil & Grease																
Fecal Coliform (mpn/100 ml)			Value	_	Value		Value				Value		Value		Valu e	
Flow (MGD)	Value		Value		Value		Value		Value		Value		Value		Valu e	
pH (standard units)				est Monthly Value	Highe	est Monthly Value	***					est Monthly age Value	High Ave	est Monthly rage Value		

(2) For facilities u	sing Chlorine a	s a disinfectant:
Total Residua	al Chlorine:	mg/l (instantaneous measurement)
		capacity equal to or greater than 1.0 MGD: es taken on at least four separate days)
Hardness:	m	g/l CaCO₃
Phosphorus:	m	g/l total Phosphorus
Sulfate:	m	g/I SO₄
Nitrogen:	m	g/l as Total Kjeldahl

Form_7251_r01 10/07/2009 Page 12 of 25 WPS-WAP

SECTION VI - PRIORITY POLLUTANT ANALYSIS

A. (1) All POTWs having an effluent flow greater than or equal to <u>0.025 MGD</u>, all facilities with an approved Pretreatment Program, or all facilities required to develop a Pretreatment Program shall:

Complete Attachment I for each industrial user (make additional copies, if necessary). An Industrial User is defined in LAC 33:IX.6105 as a source of indirect discharge. Indirect discharge is the introduction of pollutants into a POTW from any non-domestic source.

- (2) All facilities having an effluent flow greater than or equal to <u>1 MGD</u>, all facilities with an approved pretreatment Program, or all facilities required to develop a Pretreatment Program shall¹:
 - (a) Complete Attachment II using an effluent laboratory analysis of the USEPA priority pollutants using the appropriate test method and minimum quantification level. NOTE: Lab analysis results must be turned in on Attachment II, laboratory analysis forms will not be accepted.
 - (b) Provide the results of valid whole effluent biological toxicity testing. Use the USEPA's methods or other established protocols that are scientifically defensible and sufficiently sensitive to detect aquatic toxicity when conducting toxicity testing. Such testing must have been conducted since the last LPDES permit re-issuance or permit modification, whichever occurred later.
- B. For new/proposed facilities, please attach a copy of the Louisiana Department of Health and Hospitals approval letter for the plans and specifications of the treatment facility. This information may be obtained from the Louisiana Department of Health and Hospitals, Office of Public Health, 6867 Bluebonnet Road, Box 3, Baton Rouge, Louisiana 70810, (225) 765-5044. Please note changes to the Louisiana Department of Health and Hospital's physical address and possible P. O. Box address and telephone numbers on the cover page.
 - Note: In addition to the facilities listed in A above, the state administrative authority may require other facilities to submit the results of toxicity tests and/or priority pollutants effluent analysis with their permit applications, based on consideration of the following factors:
 - (a) the variability of the pollutants or pollutant parameters in the facility's effluent (based on chemical specific information, the type of treatment facility, and types of industrial contributors);
 - (b) the dilution of the effluent in the receiving water (ratio of effluent flow to receiving stream flow);
 - (c) existing controls on point or non-point sources, including total maximum daily load calculations for the waterbody segment and the relative contribution of the POTW;
 - (d) receiving stream characteristics, including possible or known water quality impairments, and whether the facility discharges to a coastal water or a water designated as an outstanding natural resource; or
 - (e) other considerations (including but not limited to the history of toxic impact and compliance problems at the facility) which the State Administrative Authority determines could cause or contribute to adverse water quality impacts.

SECTION VII- LABORATORY ACCREDITATION

If any of the analysis reported above were performed by a contract lab or consulting firm, provide the firm name, address, phone number and pollutants analyzed.

Laboratory procedures and analyses performed by commercial laboratories shall be conducted in accordance with the requirements set forth under LAC 33:I.Subpart 3, Chapters 49-55.

Laboratory data generated by commercial laboratories that are not accredited under LAC 33:I.Subpart 3, Chapters 47-57, will not be accepted by the department. Retesting of analysis will be required by an accredited commercial laboratory.

In the case where effluent testing was completed by an unaccredited laboratory, and where retesting is not possible (i.e. data reported on DMRs for prior month's sampling), the data generated will be considered invalid.

Regulations on the Environmental Laboratory Accreditation Program and a list of labs that have applied for accreditation are available on the department website located at:

http://www.deq.state.la.us/laboratory/index.htm.

Questions concerning the program may be directed to (225) 765-2405.

SECTION VIII - COMPLIANCE HISTORY

Report the history of all violations and enforcement actions for the facility, a summary of all permit excursions including effluent violations reported on the facility's Discharge Monitoring Reports (DMRs) and bypasses for the last three years. Using a brief summary, report on the current status of all administrative orders, compliance orders, notices of violation, cease and desist orders, and any other enforcement actions either already resolved within the past 3 years or currently pending. The state administrative authority may choose, at its discretion, to require a more in-depth report of violations and compliance actions for the applicant covering any law, permit, or order concerning pollution at this or any other facility owned or operated by the applicant.

SECTION IX – LAC 33.I.1701 REQUIREMENTS

Α.	Does the company or owner have federal or state environmental permit a similar nature to, the permit for which you are applying in other states applies to all individuals, partnerships, corporations, or other entities wh interest of 50% or more in your company, or who participate in the environmentate facility for an entity applying for the permit or an ownership interest in the Permits in Louisiana. List Permit Numbers:	? (This recommond) o own a commondered	uirement ontrolling
	Permits in other states (list states):		
В.	No other environmental permits. Do you owe any outstanding fees or final penalties to the Department? If yes, please explain.	Yes	No
	yoo, p.caoc o,p.a		
C.	Is your company a corporation or limited liability company?	Yes	No
	If yes, is the corporation or LLC registered with the Secretary of State?	Yes	No
	OFOTION V. MARO/RIA ORAMO		

SECTION X - MAPS/DIAGRAMS

- A. Site Diagram. Attach to this application a complete site diagram of your facility demonstrating how the wastewater flows through your facility into each clearly labeled discharge point (including all treatment points). Indicate storm water flow pattern on this diagram or provide additional diagrams if needed. Please indicate the location of the facility and the front gate or entrance to the facility on the site diagram.
- **B.** Topographic Map. Attach to this application a map or a copy of a section of the map which has been highlighted to show the path of your wastewater from your facility to the first <u>named</u> water body. Include on the map the area extending at least one mile beyond your property boundaries. Indicate the outline of the facility, the location of each of its existing and proposed discharge structures, and any existing hazardous waste treatment storage or disposal facilities.

A U.S.G.S. 1:24,000 scale map (7.5' Quadrangle) would be appropriate for this item. Appropriate maps can be obtained from local government agencies such as DOTD or the Office of Public Works. Maps can also be obtained online at www.map.ldeq.org or www.topozone.com. Private map companies can also supply you with these maps. If you cannot locate a map through these sources you can contact the Louisiana Department of Transportation and Development at:

1201 Capitol Access Road Baton Rouge, LA 70802 (225) 379-1107 maps@dotd.louisiana.gov

ENVIRONMENTAL IMPACT QUESTIONNAIRE

Those applicants that are (1) new major facilities or (2) existing major facilities applying for a substantial modification to their permit must complete this questionnaire. If there is a question about an applicant's designation as a major or minor facility, please contact LDEQ Customer Assistance at telephone number (888) 763-5424

There is no requirement that the information furnished in response to this questionnaire be certified by a professional engineer or other expert. However, simple "yes" or "no" answers will not be acceptable. A measured response should be given for each question posed, taking into consideration appropriate factors such as: the environmental sensitivity of the area, both for the proposed site and alternative sites; impacts on the economy of the area, both favorable and unfavorable; availability of raw materials, fuels and transportation and the impact of potential sites on their availability and economics; relationship of the facility to other facilities, either within or independent of the company, and the effects of location on these relationships; and other factors which may be appropriate on a case-by-case basis. (Attach any additional pages if needed.)

-	Have the potential and real adverse environmental effects of the proposed facility been avoided to the maximum extent possible?
	Does a cost benefit analysis of the environmental-impact costs balanced against the social and economic benefits of the proposed facility demonstrate that the latter outweighs the former?
	Are there alternative projects which would offer more protection to the environment than the proposed facility without unduly curtailing non-environmental benefits?
	Are there alternative sites which would offer more protection to the environment than the proposed facility site without unduly curtailing non-environmental benefits?
	Are there mitigating measures which would offer more protection to the environment than the facility as proposed without unduly curtailing non-environmental benefits?

According to the Louisiana Water Quality Regulations, LAC 33:IX.2503.B, the following requirements shall apply to the signatory page in this application:

Chapter 25. Permit Application and Special LPDES Program Requirements

2503. Signatories to permit applications and reports

- A. All permit applications shall be signed as follows:
 - For a corporation by a responsible corporate officer. For the purpose of this Section responsible corporate officer means:
 - (a) A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decisionmaking functions for the corporation, or
 - (b) The manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second-quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
 - 2. For a partnership or sole proprietorship by a general partner or the proprietor, respectively; or
 - For a municipality, parish, State, Federal or other public agency either a principal executive
 officer or ranking elected official. For the purposes of this Section a principal executive officer
 of a Federal agency includes:
 - (a) The chief executive officer of the agency, or
 - (b) A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of USEPA).
- B. All reports required by permits, and other information requested by the state administrative authority shall be signed by a person described in LAC 33:IX.2503.A, or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - 1. The authorization is made in writing by a person described in LAC 33:IX.2503.A.
 - 2. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity, such as a position of plant manager, operator of a well or well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position); and
 - The written authorization is submitted to the state administrative authority.
- C. Changes to authorization. If an authorization under LAC 33:IX.2503.B is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of LAC 33:IX.2503.B must be submitted to the state administrative authority prior to or together with any reports, information, or applications to be signed by an authorized representative.
- D. Any person signing any document under LAC 33:IX.2503.A or B shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

SIGNATORY AND AUTHORIZATION

Pursuant to the Water Quality Regulations (specifically LAC 33:IX.2503) promulgated September 1995, the state permit application must be signed by a responsible individual as described in LAC 33:IX.2503, and that person shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

The applicant for this permit hereby authorizes the Louisiana Department of Environmental Quality to publish the public notice for a draft permit once in the appropriate newspaper(s). In accordance with LAC 33:IX.6521.A, the applicant agrees to be responsible for the cost of publication. The newspaper(s) is authorized to invoice the applicant directly.

Signature

Print Name:	
Title:	
Date:	
Telephone Number:	
- -	

IMPORTANT

To prevent any unnecessary delay in the processing of your application, please take a moment and check to be certain that the following items have been addressed and enclosed:

- 1. <u>ALL</u> questions and requested information have been answered (**N/A** if the question or information was not applicable).
- 2. ALL required maps, drawings, lab analysis, and other reports are enclosed.
- 3. A copy of the Louisiana Department of Health and Hospitals approval letter for the plans and specifications of this treatment facility.
- 4. The appropriate person has signed the signatory page.
- 5. Forward the original and one copy of this application.

ANY APPLICATION THAT DOES NOT CONTAIN ALL OF THE REQUESTED INFORMATION WILL BE CONSIDERED INCOMPLETE. APPLICATION PROCESSING WILL NOT PROCEED UNTIL ALL REQUESTED INFORMATION HAS BEEN SUBMITTED.

NOTE: UPON RECEIPT AND SUBSEQUENT REVIEW OF THE APPLICATION BY THE WATER & WASTE PERMITS DIVISION, YOU MAY BE REQUESTED TO FURNISH ADDITIONAL INFORMATION IN ORDER TO COMPLETE THE PROCESSING OF THE PERMIT.

Form_7251_r01 10/07/2009

ATTACHMENT I INDUSTRIAL/INDIRECT WASTE DISCHARGER INTO SANITARY SYSTEM

Legal Name of Co	mpany:				
Mailing Address:					
Contact Person:					
Physical Address:					
Address.					
Type of Process:					
· .					
SIC Code:					
Type of Discharge	 : (√) Check	One:			
Continuo	JS	Inte	rmittent	Bat	ch
If intermittent, give	hours per	day and numbe	r of days per week	of discharge:	
				pumped from a truck to number for the hau	
Provide a measure reaches the sanita		e following efflu	ent characteristics	for the industry's disc	harge before it
В	OD ₅	lb/day	TSS	lb/day	
(COD	lb/day	рН	Standard Units	
Oil & Gre	ease	lb/day	NH ₃ -N	lb/day	
Other pertinent ph heavy metals)	ysical an cl	nemical properti	es (ex. toxic compo	ounds, taste and odor	compounds,

Note: Numerous discharges with similar processes, such as service stations, Laundromats, etc., may be grouped together and the total flow and waste loads reported on one form. An estimate should be provided of the number of discharges. If the above source contains any substances not amenable to treatment by the facility covered by this application, an individual pretreatment determination may be made by the issuing agency.

ATTACHMENT II INSTRUCTIONS FOR EFFLUENT ANALYSIS

See LABORATORY ACCREDITATION on Page 18

In order to process applications for wastewater discharge facilities that have been identified in Section III.J.2, we will need supplemental information regarding toxic pollutants to fulfill our requirements. Therefore, you must submit the information listed in this attachment on Table No. 1.

Table No. 1 must be used to submit the analysis. This application will not be considered administratively complete unless Table No. 1 is completed. The table includes USEPA approved test methods with appropriate minimum quantification levels (MQL), for your review and use. We recommend that you provide a copy of this Attachment II and Table No. 1 to your laboratory when requesting the effluent analysis.

Please be aware that all analyses must be performed at the minimum level of sensitivity as listed in Table No. 1. The analyses must demonstrate that an acceptable calibration point as low as the specified MQL was used or a check standard equal to the MQL that is within 25% of the known value. Test procedures must conform to an approved USEPA methodology listed in 40 CFR Part 136.

If similar scans were performed within two (2) years prior to the date of submittal of this application and the reported results conform to the instructions detailed above, that information may be submitted with this application. However, if the scan was performed prior to two (2) years, the results of a more recent analysis should be submitted along with this application. **NOTE: If available, the results of more than one scan may be submitted with this application.**

The data requested in this attachment and Table No. 1 shall be submitted to this Office along with the permit application information so that we may proceed with issuance of a permit for this facility. You must include copies of the laboratory results and detection levels and certification that QA/QC procedures were implemented. This information will be considered in the evaluation and processing of the permit for your facility. If you have any questions regarding these requirements, please contact LDEQ Customer Assistance at 1-866-896-LDEQ (5337).

The permittee is required to analyze the effluent discharge from the referenced facility for each pollutant listed in Table No. 1, Sample Laboratory Analysis Format, in accordance with the following instructions:

A. Effluent samples, for the analysis of toxic pollutants (except volatile compounds), shall consist of at least twelve (12) aliquots collected at equal intervals over a representative twenty-four (24) hour period and composited according to flow. When composite samples are inappropriate due to sampling methods, holding time, or analytical constraints, four (4) grab samples taken at equal intervals over a representative twenty-four (24) hour period are acceptable.

For the sampling of (toxic) volatile compounds using USEPA Methods 601, 602, 603, 624, 1624, or any other 40 CFR Part 136 method approved after the effective date of the permit, the permittee may use one of the following methods:

(1) For "24-hour composite" sampling, the permittee shall manually collect four (4) aliquots at regular intervals during the actual hours of discharge during the 24-hour sampling period using sample collection, preservation, and handling techniques specified in the appropriate test method. These aliquots must be combined in the laboratory immediately before analysis. To composite these aliquots, see the instructions for the test method selected in Method 601 (Section 10.4), Method 602 (Section 10.4), Method 603 (Section 10.4), Method 624 (Section 11.4), or Method 1624 (Section 10.3). Each aliquot is poured into a syringe. The plunger is added, and the volume is adjusted to 1-1/4 ml. Each aliquot (1-1/4 ml) is injected into the purging chamber (total 5 ml). After four (4) injections, the chamber is purged. Only one analysis or run is required since the aliquots are combined prior to analysis.

ATTACHMENT II INSTRUCTIONS FOR EFFLUENT ANALYSIS (cont.)

The daily determination of mass (lbs/day) shall be the product of the daily concentration (μ g/L) determined above times 0.001 times the density correction factor (8.34 lbs/gal) times the daily flow (MGD) occurring during the 24-hour sampling period.

(2) For "grab" sampling, the permittee may collect at least four (4) separate and discrete grab samples at regular intervals during the actual hours of discharge during the 24-hour sampling period. A separate analysis shall be conducted for each discrete grab sample following the approved test methods.

The daily determination of concentration shall be the arithmetic average (weighted by flow) of all grab samples collected during the sampling day. All other provisions of the preceding paragraph shall apply where applicable.

- B. The permittee shall **report each metal as a TOTAL metal** in accordance with the procedure described in 40 CFR §136.3, Table IB, footnote 3.
- C. In addition to the pollutants listed in this attachment and Table No. 1, provide at least one effluent analysis for any pollutant listed in Chapter 71 of the Water Quality Regulations, Appendix D, Table V, that you know or suspect is discharged to the receiving stream.

The permittee shall provide any quantitative effluent data collected in the past three years for the pollutants listed in Chapter 71 of the Water Quality Regulations, Appendix D, Tables II, III, and IV.

The permittee shall collect, preserve, and analyze each pollutant in accordance with USEPA approved methods in 40 CFR Part 136.

Before analyzing the effluent, <u>PLEASE NOTE</u> that each pollutant listed in Table No. 1 has a Minimum Quantification Level (MQL) developed by USEPA, Region 6, for proper evaluation of that pollutant. All analyses must be performed at the minimum level of sensitivity as listed in Table No. 1. The analyses must demonstrate that an acceptable calibration point as low as the specified MQL was used or a check standard equal to the MQL that is within 25% of the known value. Test procedures must conform to an approved USEPA methodology listed in 40 CFR Part 136.

Please analyze each pollutant on this list in accordance with the suggested test method at the specified MQL. We will consider a non-detectable level (zero effluent concentration) equal to or less than the listed MQL. For those pollutants with reported laboratory method detection levels greater than the MQL listed in Table No. 1, we will:

- A. Consider the pollutant to be potentially present in the effluent, and
- B. Those pollutants which are State regulated will be evaluated for potential exceedances of the State's water quality criteria, where applicable. Effluent limitations will be included in the permit for any pollutant which exceeds the State's water quality criteria for that pollutant.

The permittee shall submit a written certification, from the laboratory analyzing the effluent, certifying that each pollutant was analyzed in accordance with the appropriate quality control procedures described in 40 CFR 136.

TABLE 1 - LABORATORY EFFLUENT ANALYSIS

METALS, CYANIDE AND TOTAL PHENOLS

Note: The following metals must be expressed as total metals.

	Pollutant Analysis	Lab	USEPA			Pollutant	Lab	USEPA	
		Detection	Required	USEPA		Analysis	Detection	Required	USEPA
	Results	Level	MQL	Test		Results	Level	MQL	Test
Pollutant Name	μg/l	μg/l	μg/l	Method	Pollutant Name	μg/l	μg/l	μg/l	Method
Antimony			60	200.7	*Mercury			0.005	1631
*Arsenic			10	206.2	*Lead			5	239.2
Beryllium			0.5	200.7	*Nickel (fresh)			40	200.7
*Cadmium	_		1	213.2	*Nickel (marine)			5	249.2
*Chromium (III)			10	200.7	Selenium			5	270.2
*Chromium (VI)			10	200.7	Silver			0.5	200.8
Total Chromium			10	200.7	Thallium			0.5	200.8
*Copper			10	220.2	*Zinc			20	289.2
Cyanide (total)			10	335.3	*Phenols, Total**			5	420.1

^{** -} Total Phenol must be measured in accordance with the 4-Aminoantipyrine (4AAP) method.

VOLATILE COMPOUNDS

				VOLATILL	COMIT CONDO				
	Pollutant	Lab	USEPA			Pollutant	Lab	USEPA	
	Analysis	Detection	Required	USEPA		Analysis	Detection	Required	USEPA
	Results	Level	MQL	Test		Results	Level	MQL	Test
Pollutant Name	μg/l	μg/l	μg/l	Method	Pollutant Name	μg/l	μg/l	μg/l	Method
Acrolein			50	624	Chlorobenzene			50	624
Acrylonitrile			20	624	1,1-Dichloroethane			10	624
*Benzene			10	624	*1,2-Dichloroethane				
*Bromodichloro-					(EDC)			10	624
methane			10	624	1,1-Dichloroethene			10	624
*Bromoform			10	624	1,2-Dichloropropane			10	624
*Carbon			-		*Ethyl Benzene				
Tetrachloride			2	624	•			10	624
Chloroethane			50	624	*1,3-Dichloro-				
Chloroethylvinyl-			-		propene (trans)			10	624
2 ether			10	624	*Dibromochloro-				
Chloroform			10	624	methane			10	624

Form_7251_r01 10/07/2009 Page 22 of 25 WPS-WAP

TABLE 1 - LABORATORY EFFLUENT ANALYSIS

VOLATILE COMPOUNDS (cont.)

USEPA

Test

USEPA

Required

MQL

Lab

Detection

Level

Pollutant

Analysis

Results

μg/l	μg/l	μg/l	Method	Pollutant Name	μg/l	μg/l	μg/l	Method
		10	624	1,2-Trans-Dichloro- ethene			10	624
		20	624	*1.1.1-Trichloro-				
				ethane			10	624
		50	624	*1,1,2-Trichloro-				
				ethane			10	624
		50	624	*Tetrachloroethene			10	624
				*Toluene			10	624
		10	624	*Trichloroethene			10	624
				*Vinyl Chloride			10	624
			ACID COI	MDOLINDS				
Pollutant	l ah	IISEDA	ACID COI	WIPOUNDS	Pollutant	l ah	IISEDA	
	Detection		USEPA			Detection		USEPA
Results	Level	MQL	Test		Results	Level	MQL	Test
μg/l	μg/l	μg/l	Method	-	μg/l	μg/l	μg/l	Method
		10	625				10	625
		10	625	•		-	50	625
		10	625	•				
				pnenoi			50	625
		10	625	2-Nitrophenol			20	625
		10	625	4-Nitrophenol			50	625
_	•	10	625	Pentachlorophenol			5	625
		10	625	Phenol			10	625
		10	625	2,4,6-Trichlorophenol			10	625
		10	625					
	Pollutant Analysis Results	Pollutant Lab Analysis Detection Results Level		10 624 20 624 50 624 624 624 624 624 624 624 624 624 624 624 624 625 624 625 624 625 626 626 625	1,2-Trans-Dichloro-ethene	1,2-Trans-Dichloro-ethene 20 624 *1,1,1-Trichloro-ethane 50 624 *1,1,2-Trichloro-ethane 50 624 *1,1,2-Trichloro-ethane 50 624 *Tetrachloroethene *Toluene 10 624 *Trichloroethene *Toluene *Vinyl Chloride	1,2-Trans-Dichloro-ethene	Pollutant Name

Pollutant

Analysis

Results

Lab

Detection

Level

USEPA

Required

MQL

USEPA

Test

Pollutant Name	Pollutant Analysis Results µg/l	Lab Detection Level µg/l	USEPA Required MQL µg/l	USEPA Test Method	Pollutant Name	Pollutant Analysis Results µg/l	Lab Detection Level µg/l	USEPA Required MQL µg/l	USEPA Test Method
*Aldrin	la. Or .	F-G-	0.01	608	*Dieldrin	h G	h. J.	0.02	608
*Chlordane			0.2	608	*Endosulfan I			0.01	608
*DDD - 4,4			0.1	608	*Endosulfan II			0.02	608
*DDE - 4,4			0.1	608	Endosulfan sulfate			0.1	608
*DDT - 4,4			0.02	608	*Endrin			0.02	608
*Heptachlor			0.01	608	Endrin aldehyde			0.1	608
Heptachlor epoxide			0.01	608	*PCB - 1016			0.2	608
Hexachlorocyclohex-					*PCB - 1221			0.2	608
ane-alpha(BHC)			0.05	608	*PCB - 1232			0.2	608
Hexachlorocyclohex-					*PCB - 1242			0.2	608
ane-beta(BHC)			0.05	608	*PCB - 1248			0.2	608
Hexachlorocyclohex-					*PCB - 1254			0.2	608
ane-delta(BHC)			0.05	608	*PCB - 1260			0.2	608
*Hexachlorocyclohex-			0.05	000	*Toxaphene			0.3	608
ane-gamma(lindane)			0.05	608	AL COMPOUNDS				
	Pollutant Analysis Results	Lab Detection Level	USEPA Required MQL	USEPA Test	RAL COMPOUNDS	Pollutant Analysis Results	Lab Detection Level	USEPA Required MQL	USEPA Test
Pollutant Name	μg/l	μg/l	μg/l	Method	Pollutant Name Bis(2-chloroiso-	μg/l	μg/l	μg/l	Method
Acenaphthene			10	625	propyl) ether			10	000
Acenapthylene			10	625	4-Bromophenyl			10	608
Anthracene			10	625	phenyl ether			4.0	
*Benzidine			50	625	, ,			10	608
Benzo(a) anthracene			5	625	2-Chloronaphthalene			10	
3,4-Benzofluor- anthene			10	625	4-Chlorophenyl phenyl ether			10	608
Benzo(k) fluoranthene			5	625	Chrysene			5	608
Benzo(a) pyrene			. 5 5	625	Dibenzo(a,h)			5	000
Di-n-butylphthalate			10	625	anthracene			5	608

Form_7251_r01 10/07/2009 Page 24 of 25 WPS-WAP

TABLE 1 - LABORATORY EFFLUENT ANALYSIS BASE / NEUTRAL COMPOUNDS (cont.)

				/ NEOTINAL	OCIVII CONDO (CONC.)				
	Pollutant	Lab	USEPA			Pollutant	Lab	USEPA	
	Analysis	Detection	Required	USEPA		Analysis	Detection	Required	USEPA
Pollutant Name	Results	Level	MQL	Test Method	Pollutant Name	Results	Level	MQL	Test Method
Benzo(ghi)perylene	μg/l	μg/l	μg/l		1,3-Dichlorobenzene	μg/l	μg/l	μg/l	
, , , ,			20	625	,			10	625
Benzyl butyl phthalate		-	_ 10	625	1,4-Dichlorobenzene				
Bis(2-chloroethyl)ether			10	625	p-Dichlorobenzene			10	625
Bis(2-chloroethoxy)					3,3-Dichlorobenzidine			50	625
methane			_ 10	625	Diethyl phthalate			10	625
Bis(2-ethylhexyl)					Dimethyl phthalate			10	625
phthalate			10	625	2,4-Dinitrotoluene			10	625
Di-n-octylphalate			10	625	2,6-Dinitrotoluene			10	625
1,2-Diphenylhydrazine			20	625	Isophorone			10	625
Flouranthene			10	625	Naphthalene			10	625
Flourene			10	625	Nitrobenzene			10	625
*Hexachlorobenzene			5	625	N-Nitrosodimethylamine			50	625
*Hexachlorobutadiene			10	625	N-Nitrosodiphenylamine			20	625
Hexachlorocyclo-					N-nitrosodi-n-propyl-				
pentadiene			10	625	amine			20	625
Hexachloroethane			10	625	Phenanthrene			10	625
Indeno(1,2,3-cd)pyrene			5	625	Pyrene			10	625
1,2-Dichlorobenzene			10	625	1,2,4-Trichlorobenzene			10	625
					0.011007411050				
	Pollutant	Lab	USEPA	HAZARDOU	S SUBSTANCES	Pollutant	Lab	USEPA	
	Analysis	Detection	Required	USEPA		Analysis	Detection	Required	USEPA
	Results	Level	MQL	Test		Results	Level	MQL	Test
Pollutant Name	μg/l	μg/l	μg/l	Method	Pollutant Name	μg/l	μg/l	μg/l	Method
*2,4-D (2,4-Dichloro-					<u>—</u>				
phenoxy acetic acid)			10	6640B	*2,4,5-TP (Silvex)			4	6640B

FOOTNOTE: *These pollutants are regulated under LAC, Title 33, Part IX, Chapter 11, Louisiana Water Quality Standards.